



Manual Pallet Jack

Manual Pallet jack is of high quality and it is our most popular pallet truck. Manual pallet jack is designed for smooth, and quiet operation and easy handling so operators experience less fatigue and work more efficiently. Manual Pallet jack is widely used in workshops, warehouses, docks, stations, freight yards, etc. and is an ideal tool to improve efficiency and reduce labor intensity.

1.Product Introduction:

Manual Pallet jack is of high quality and it is our most popular pallet truck. Manual pallet jack is designed for smooth, and quiet operation and easy handling so operators experience less fatigue and work more efficiently. Manual Pallet jack is widely used in workshops, warehouses, docks, stations, freight yards, etc. and is an ideal tool to improve efficiency and reduce labor intensity.

2. Manual Pallet Jack



Minimum height (mm)	Max lift height (mm)	Length(mm)	Width(mm)	Wheel type	Load wheel size(mm)	Steer wheel size(mm)
80	200	1150	550	Rubber/PU/Nylon	70*80	180*50
80	200	1220	685	Rubber/PU/Nylon	70*80	180*50
80	200	1150	550	Rubber/PU/Nylon	70*80	180*50
80	200	1220	685	Rubber/PU/Nylon	70*80	180*50
80	200	1150	550	Rubber/PU/Nylon	70*80	180*50
80	200	1220	685	Rubber/PU/Nylon	70*80	180*50
80	200	1220	685	Rubber/PU/Nylon	70*80	180*50
	(mm) 80 80 80 80 80	(mm) (mm) 80 200 80 200 80 200 80 200 80 200 80 200 80 200	(mm) (mm) Length(mm) 80 200 1150 80 200 1220 80 200 1150 80 200 1220 80 200 1150 80 200 1150 80 200 1220 80 200 1220	(mm) Length(mm) Width(mm) 80 200 1150 550 80 200 1220 685 80 200 1150 550 80 200 1220 685 80 200 1150 550 80 200 1150 550 80 200 1220 685 80 200 1220 685	(mm) Length(mm) Width(mm) Wheel type 80 200 1150 550 Rubber/PU/Nylon 80 200 1220 685 Rubber/PU/Nylon 80 200 1150 550 Rubber/PU/Nylon 80 200 1220 685 Rubber/PU/Nylon 80 200 1150 550 Rubber/PU/Nylon 80 200 1220 685 Rubber/PU/Nylon 80 200 1220 685 Rubber/PU/Nylon	(mm) Length(mm) Width(mm) Wheel type size(mm) 80 200 1150 550 Rubber/PU/Nylon 70*80 80 200 1220 685 Rubber/PU/Nylon 70*80 80 200 1150 550 Rubber/PU/Nylon 70*80 80 200 1220 685 Rubber/PU/Nylon 70*80 80 200 1150 550 Rubber/PU/Nylon 70*80 80 200 1220 685 Rubber/PU/Nylon 70*80 80 200 1220 685 Rubber/PU/Nylon 70*80

3. Manual Pallet Jack Feature And Application

Our most popular and reliable Manual Pallet Jack has a 2000kg 2500kg 3000kg 5000kg capacity. Common fork size 550*1150mm 685*1220mm other size can also custom.

Our manual pallet jack is Reliable, sturdy, torsion-resistant due to it's extremely strong high quality steel profile and have high painting quality. All pivot points are greased to ensure excellent maneuverability with effortless steering.]

1.Our pallet jack use thick fork 4mm thickness after painting and each fork have reinforce steel at the bottom to ensure fork not No tilt or deformation.






2.for the welding machine weld , the welding seam leveling increase the product carrying capacity and make its out look more beautiful.









3.Climbing rollers helps users easily maneuver across dock plates, in and out of trailers and over uneven floors.



4. The steer and load wheels are engineered with high quality components and bearings to provide a low rolling resistance. The steer wheels rotate through a 200 degree range for easy maneuvering in tight spaces. Available as standard Polyurethane or optional Nylon to meet application needs.






5. The shape and thickness of the handle along with the design and placement of the control lever reduces operator fatigue and improves productivity. The neutral lever position releases tension on the handle for easier maneuvering.



www.hugoforklift.com





6.Rocker arm widened and thickened can ensure the long life.



5. Product Qualification

Shanghai Yiying Crane Machinery Company is a company specializing in the import and export of lifting equipment. We have three factories in China. Our main product include manual hoist, electric hoist, manual pallet jack, Manual Pallet Jack stacker etc. Hydraulic manual pallet Jack are our latest hot-selling products. Old customers have given high praise to our product quality and Welcome traders and importers from all over the world to negotiate with us.

6. Deliver, Shipping And Serving for pallet jack

Ready made product, it can be sent out within 3-7 DAYS.



Packaging way: 6pieces packed in 1 pallet

Pre-sale Services: we have professional sales team as your guide to choose correct model and solve your problems timely, cooperated with engineering team, technical department, production department, administration department, accountant department, document department, working time is 7x24hours.

Sale services: one to one sales would in charge of all matters about your purchase order and would monitor shipping all the way till you got material, including proving documents, communicate with forwarder etc. Cooperated with production department, technical department, engineer department technical department, packaging department, logistic department to deal with related communications ensure your order would be proceed without any mistakes.

After-sale services: after-sales team will deal with all complaint from customers such as packaging, quality, shipping, etc. We will surely exchange goods or make up lost if finally verify mistakes caused by our side, a promise is a promise!

7. FAQ

Q1: How long is the Warranty for this Manual Pallet Jack?

A1: We provides 12 months warranty

Q2: How about the delivery time?

A2: Usually pallet truck producing time is 7-10days after we receive the advanced payment. For some standard products, we have stock and could delivery immediately.

Q3: What about your MOQ for manual pallet jack?

A3: If you have forwarder in China, 1 piece is available. If you don't have forwarder, MOQ is 6 pieces.

Q4: Can you provide customized products? OEM products or ODM products?

A4: Yes, we can provide customized products per your request, OEM and ODM are acceptable. We do a lots of non-standard products, welcome your special request.

Q5: Could we request our own color for the products?

A6: Yes, of course, you just need to offer us the RAL code.

